
Transformational Chairwork: Using The Four Dialogues in Addiction Treatment





Northern Tide By Tim Wallace

Scott Kellogg, PhD





1. Multiplicity of self — it is clinically useful to understand people as containing different parts, modes, voices, or selves.

Four Orienting Principles

- 1. Multiplicity of self it is clinically useful to understand people as containing different parts, modes, voices, or selves.
- 2. It is healing and transformative for people to give voice to these different parts.

Four Orienting Principles

- 1. Multiplicity of self it is clinically useful to understand people as containing different parts, modes, voices, or selves.
- 2. It is healing and transformative for people to give voice to these different parts.
- 3. It is also healing and transformative for people to enact or re-enact scenes from the past, the present, or the future

Four Orienting Principles

- 1. Multiplicity of self it is clinically useful to understand people as containing different parts, modes, voices, or selves.
- 2. It is healing and transformative for people to give voice to these different parts.
- 3. It is also healing and transformative for people to enact or re-enact scenes from the past, the present, or the future
- 4. The ultimate goal of Chairwork is the strengthening of the Ego, the Healthy Adult Mode, or the Inner Leader.

History and Background


Jacob Moreno, MD



Created the Chairwork Technique

Frederick "Fritz" Perls, MD

Taken by Stanislav Grof, MD, PhD




Developed Chairwork into a Psychotherapeutic Art Form

Giving Voice



Internal Dialogues



The Four Dialogues



Giving Voice

"I would like to invite you to move to this chair and I would like you to speak from your heart and speak from your pain."

Giving Voice

- This approach might be considered when patients say such things as:
 - "There is a deep grief within me."
 - "I am feeling very agitated right now."
- Gestalt Awareness and Voice Dialogue

Giving Voice: The Paradoxical Theory of Change

- Conceptualized by Arnold Beisser in 1970
- "The way to change is to more deeply be yourself.
- Giving voice is the heart of the work; nothing else is needed." (Kellogg, 2014, p. 172)

The Suffering Chair



Existential Intentionality

"That was the day, the first time ever in my life, that I made a commitment to being alive.

Not the first time that I said that I wanted to live, or dreamed about living; it was the first time that I made a *commitment*, that I gave myself my word."

Meri Nana-Ama Danquah
 Willow Weep for Me



"At the heart of any therapeutic encounter there is always a story."


Roberts & Holmes, 1999

Telling the Story

"I sense that holding this secret inside for so long has been a terrible burden. If you're willing, I'd like you to move to this chair and tell me the story of what happened."

Telling the Story

- This approach might be considered when the patient says things like:
 - "There are stories within me that have never been shared."
 - "I told a few people about the accident when it occurred, but I do not feel I ever really talked it through."



Internal Dialogues


"You seem to be of two minds about the project. I wonder if you would be willing to go to this chair and speak from the part that wants to go forward with it and then to this chair and speak from the part that is having second thoughts."

Internal Dialogues

- This approach can be considered when patients say things like:
 - "I am of two minds about this situation."
 - "I have a deep fear of elevators. I am afraid that I will be trapped in one and die there.
 - "I have this voice in my head that keeps telling me how bad I am."

Internal Dialogues

- The work with the Parts, Modes, or Selves will usually take one of three forms:
 - The Parts co-exist
 - The Parts *engage* with each other
 - One Part *witnesses* the others



Relationships and Encounters

"I sense that you are still very stuck — even though the relationship ended two years ago. I would like to work with this, if I may. I'd like you to imagine her sitting in this chair and I would like you to talk to her and tell her what you are feeling."

Relationships and Encounters

- This approach can be considered when patients say things like:
 - "I know that it has been three years, but I am still grieving the death of my mother."
 - "My father was very cruel to all of us when I was growing up. I am still very angry about that."
 - "My sister is just impossible. I feel responsible for her but she is driving me crazy."

Expressing Emotions

Love

Sorrow/
Grief

Anger

Fear

Addiction: Motivation and Complexity









Dancing of the Selves

By Brenda Clews



Anthony Papa

"The Heart of Addictive Disorders is Suffering" – Edward J. Khantzian, MD

"Girl in pain drinks and takes something – anything – to stop the feeling.

Girl wakes up in more pain, is more angry.

Girl does more to block it all out."

(Ruth Fowler, The World Breaks Everyone,

Writers on the Edge)

"After a lifetime of depression, and long bouts of self-medicating with alcohol, cocaine, and whatever else was available, heroin was a godsend.

In fact I can truly say that junk is one of the best things that's ever happened to me."

(I. Thaca, Harm Reduction Communication, 5)

Horizontal and Vertical Interventions





Interventions

- Horizontal Interventions
 - Those focused on controlling and/or discontinuing drug use
- Vertical Interventions
 - Those that are used to address and treat the underlying issues and co-occurring psychopathology
- Wurmser (1978)

Substance Use Domains

Self-Stimulation Domain
Drug Use to Feel Alive,
Experience Pleasure;
Access Creative and
Spiritual Aspects of Self

Somatic Domain I

Drug Use to Address

Brain Changes,

Withdrawal Symptoms
and Mood Dysregulation

Social Identity Domain

Drug Addiction Lifestyle;

Drug User Identity

Self-Soothing Domain

Drug Use to Treat Inner
Anguish, Pain, and
Psychopathology

Somatic Domain II

Drug Use to Cope with

Medical Illnesses and

Chronic Pain

Social Justice Domain
Social Oppression: Sexism,
Racism, Homophobia,
Disenfranchisement; Poverty

Motivations to Change

Family/Parental/ Relational Threats Job Loss/
Economic Damage/
Prestige Threats


Existential/Spiritual Concerns and Desires

Health Concerns

Legal Problems

Role Strain

Decisional Balance



Decisional Balance

- Many patients are ambivalent about bringing their drug use to an end
- The underlying factors can be clarified through the use of a Decisional Balance
 - Assesses the many forces supporting the drug use
 - And the forces favoring change and/or recovery
- The heart of Addiction Psychotherapy

Decisional Balance

Positives of Drug Use	Positives of Change
Immediate physical pleasure (10) Escape/Feeling more "there" (10) Feels more emotion (10) Reduces social anxiety (6) Shuts out critic (7) People will know "real" self (7)	Feel a greater sense self discipline (9) Would be more productive (10) Help him be more comfortable with self (8) Greater confidence (6)
Negatives of Drug Use	Negatives of Change
Feels guilty (7) Others are concerned (6) Not as productive (10) Feels like it a crutch (10) Feels bad (7) Health Problems (7)	Would not enjoy life as much (9) Would be ignoring a part of himself (10) Breaking up with something he loves – a hard breakup (9)

Motivational Work

- The part that wants to use:
 - Feels more comfortable and alive
 - The Inner Critic is shut off
 - He is able to connect with other people more easily
- The part that wants to change/stop:
 - Embodies his ambitions
 - He has goals that he is not pursuing
 - Feels he is betraying himself
 - Is concerned that he might be damaging himself

Basic Motivational Dialogue


Desire to Stop, Reduce, Or Change The Pattern Desire to
Continue Using
Substances

Strategic Guidelines

- In concert with the patient,
- Seek out ways to meet the needs of the parts that want to use substances
- Work to strengthen the parts that are oriented toward change and recovery
- Do not argue with the parts that want to use
 - Have the patient engage in the conflict
- Desire Engages with Desire



Relationship with Substances



Johanna Silverthorne © 2010 "Alcohol had become too important. By the end it was the single most important relationship in my life."

Caroline Knapp, Drinking: A Love Story

Relationship with the Substance

- Drug use can be seen as a relationship with a substance (Denning, 2000)
- A dialogue can be organized between the patient and their substance

Relationship with the Substance

- They can discuss their relationship
 - How we met
 - How things developed
 - What we have been through
 - ■The good times and the bad
 - Where we are now

Cycle of Emotions

Love

Sorrow/
Grief

Anger

Fear


Relationship with the Substance

- The patient can be invited to move to the Drug Chair and speak from the perspective of the substance
- The therapist interviews the part:
 - How do you see the relationship?
 - How do you feel about []?
 - Are you on their side?
 - Should they rely on you?

Relationship with the Substance

- Patient returns to the Patient Chair
- How do I want things to be in the future?
- This can involve the creation of a new relationship
- Or the patient can do the work of saying goodbye
- Separate dialogues may need to take place for each substance

Vector Dialogue



Relational Ambivalence Relational Complexity

https://curricula2.mit.edu/pivot/book/images/ch10/ph10ex003a.gif

Vector Dialogue


- Appreciations and Resentments (Perls, 1969)
- Relational Complexity Splitting the Self
 - Positive Feelings about the Substance
 - Negative Feelings about the Substance

Vector Dialogue

Positive Feelings Combines aspects of the previous two dialogue structures

Inner
Leader/
Healthy
Adult
Mode

Negative Feelings The Substance



Imagery Rescripting



Light Beam
Mojave Desert National Park
Mark Andrews

Behavioral Re-Play

- The Old Story/Slip
 - 'I was tired. It had been a stressful day. I stopped at the market and bought a pint of ice cream. I went home and ate the whole thing out of the container. I felt very guilty."
- The New Story
 - 'I was tired. It had been a stressful day. I stopped at the market and was going to buy a pint of ice cream. I looked at it and I remembered my decision. I bought a fruit salad and went home and ate that. I was proud of myself."
- The goal is to create and internalize a new narrative

Drug Use and Meaning

- Drug use is meaningful (Tatarsky)
- Bring up an image or memory of the craving or the use
- Experience the moment
- Ask them to let that image go while holding onto the feelings
- Let a memory from an earlier time come

Imagery Rescripting


- Patient goes into the imagery/memory
- The memory is reworked
 - Often with the Adult Self and the Therapist
- Create a situation in which the patient experiences safety and power

Imagery Rescripting


- Nick craves alcohol when he feels responsible for others
- Imagery work with the feelings brings up a memory of being a six-year-old boy feeling overwhelmed with responsibility at his father's deathbed
- The rescripting involves bringing his aunt and uncle who tell him that he is not responsible
- They take care of the dying father and comfort young Nick
- (Arntz & Jacob, 2013, p. 171)



Inner Critic



Fear and Hatred





Agnes Martin

Voice Dialogue/Critic Interview


- Interview the Critic
 - Understand its origin and purpose
 - Identify the Core Value (Greenberg)
 - Work to tap into the underlying fears and anxieties that are driving it
 - Affirm its usefulness and good intentions
 - Clarify where it has missed the mark and is causing problems


Healthy Adult Mode and Inner Critic Encounter

Healthy
Adult
Mode
Inner Critic

"This is my life; it is not yours."

Inner Complexity





Complexity-of-Self Dialogue

- Co-create an affirming voice that identifies the good parts of the person
 - Self-as-Bad Self-Statement/Chair
 - Self-as-Good Self-Statement/Chair
 - (Chadwick, 2003)

Giving Voice


Internal Dialogues

Interpersonal Mistreatment




Emotional Trauma By Woody Hansen

Telling the Story



Trauma-Centered Storytelling: The Power of Repetition




Voice	Intensity	Narrative	Chairs
First Person	Person Intensity	"I was in a car accident. These are some of the things that happened to me."	One Chair
Second Person		"John, you were in a car accident. I understand that these are some of the things that happened to you."	Two Chairs
Third Person	Lower Intensity	"John was in a car accident. These are some of the things that happened to him."	One Chair (Roediger, Stevens, & Brockman, 2018)

Catharsis


"...Every True Second Time Is A Liberation From The First"

- Dr. Jacob Moreno



Chairwork Approach

- Chairwork can be used to:
 - Speak with and nurture the abused child
 - Confront the abuser
 - Confront those who knew and did not protect the child
- Both the patient and the therapist can speak to the person in the other chair
- It is generally best to not have the person play the role of the abuser.




www.duluth-model.org 75

- They can
 - Fight back
 - Repudiate the toxic messages that were given to them
 - Affirm themselves and validate the needs they had as children

- Patient puts her Grandmother in the chair:
- "You are so mean, I hate you. I do love you, but I hate you.
- I hate being here with you.
- You constantly talk about dying and death, death, that's it, every day, every day."

- "I resent the times you called me a tramp.
 ...I was never a tramp!
- You always said, "You'll become pregnant."
- I never did things like that. But you always said I was no good, a slut.....
- I resent you for not trusting me, for not letting me be a young person.
- I resent you for dragging me to cemeteries to see dead graves.... I *resent* that... (Engle, Beutler, & Dalup, 1991, pp. 180-182)



Cognitive Restructuring/CPT

"I used to be this lively, happy girl, ready to take on the world. I was so excited about starting college.... I knew good things were ahead of me.

- But now... I'm a scared, lonely, and ugly girl inside and out. I have no ambition.....
- All I care about is being left alone so I can be safe."


■Andrea – after being gang-raped

Cognitive Restructuring/ Cognitive Processing Therapy





Trauma-based Schema and Healthy/Adaptive Schema (Patricia Resick)



Redecision Therapy

- The Gouldings emphasize the importance of the patient making a decision to change:
 - I will no longer live this way
 - I will heal from the damage
 - I am now choosing a new, healthier, and more self-affirming way to live
- A way of Claiming Power and Personal Authority
- This is especially effective in a group setting

Examples of Redecisions

- "From now on, I am going to find trustworthy people, and I will trust them. Everyone is not like you."
- "I enjoy sex today in spite of what you did to me. You are no longer in my bed."
- "I can laugh and jump and dance without guilt, because my fun didn't cause you to rape me!
 It was your perversity!" (Goulding & Goulding, 1997, p. 248)

Deepening Techniques

Dialog

©Arif Nammari





85

A Central Goal is for the Patient to Be Able to Express each Voice as Distinctly, Forcefully, and Simply as Possible!

Can I Use Chairwork With "This Kind Of Patient"?

Chairwork can be used with any patient who has a problem that is suitable for a Chairwork dialogue!






Jacob Moreno, MD

Frederick "Fritz" Perls, MD

Zerka Moreno

http://fernando-hideaway.blogspot.com/2008/02/jacob-levy-moreno.html



Diana Calvario

Resources

Transformational Chairwork: http://transformationalchairwork.com/

Gradualism and Addiction Treatment: http://gradualismandaddiction.org/

Scott Kellogg, PhD: kelloggchairwork@gmail.com